
LEED Specification Sheet DURAPRO AC1920

February 28, 2020

To Whom It May Concern:

The use of DURAPRO AC1920 *Contact Cement* could be contributing LEED credits from the Canadian Green Building Council Rating System for New Construction & Major Renovations as follow:

IEQc3.2: Construction IAQ management plan – Testing before occupancy

When completely dry DURAPRO AC1920 can contribute to air quality test.

IEQc4.1: Low-emitting materials – adhesives & sealants

DURAPRO AC1920 content of VOC is more than 80 g/L less water, therefore DO NOT meet the requirement of South Coast Air Quality Management District (SCAQMD) Rule No.1168. DURAPRO AC1920 contain VOC in excess of 5% by weight.

IEQc4.4: Low-emitting materials - composite wood and laminate adhesives

DURAPRO AC1920 contains no urea-formaldehyde resin added and can be used in the composition of assemblies produced on site and in the workshop.

IEQc4.5: Low-emitting materials – furniture and furnishings

DURAPRO AC1920 contains no urea-formaldehyde resin added and can be used in the composition of assemblies produced on site and in the workshop.

IEQc4.6: Low-emitting materials – ceiling and wall systems

DURAPRO AC1920 contains no urea-formaldehyde resin added and can be used in the composition of ceiling and wall systems on site and in the workshop.

MRC2: Construction waste management

Packaging of DURAPRO AC1920 is made of recoverable and recyclable materials and can be collected for treatment where facilities exist.

MRC5.1 and 5.2: Material and Resource – Regional materials

When used in a project site within 800 kilometers (or 2400 kilometers if shipped by rail or water) from the manufacturing plant located at Dorval, Quebec.

This statement is based on the product referenced above and the formulation of the product and the regulations in place according to the date of this letter.

Please use this letter for specification purposes. For a copy of the SDS or TDS, contact your Dural sales representative, email at durapro@dural.ca or call 1-800-361-2340.