

LEED Specification Sheet DURAPRO AM0220

February 28, 2020

To Whom It May Concern:

The use of DURAPRO AM0220 *Vinyl Decking Membranes Adhesive* could be contributing LEED credits from the Canadian Green Building Council Rating System for New Construction & Major Renovations as follow:

IEQc3.2: Construction IAQ management plan – Testing before occupancy

When completely dry DURAPRO AM0220 can contribute to air quality test.

IEQc4.1: Low-emitting materials – adhesives & sealants

DURAPRO AM0220 content of VOC is more than 80 g/L less water, therefore DO NOT meet the requirement of South Coast Air Quality Management District (SCAQMD) Rule No.1168. DURAPRO AM0220 contain VOC in excess of 5% by weight.

MRc2: Construction waste management

Packaging of DURAPRO AM0220 is made of recoverable and recyclable materials and can be collected for treatment where facilities exist.

MRc5.1 and 5.2: Material and Resource – Regional materials

When used in a project site within 800 kilometers (or 2400 kilometers if shipped by rail or water) from the manufacturing plant located at Dorval, Quebec.

This statement is based on the product referenced above and the formulation of the product and the regulations in place according to the date of this letter.

Please use this letter for specification purposes. For a copy of the SDS or TDS, contact your Dural sales representative, email at durapro@dural.ca or call 1-800-361-2340.